



8 – KITCHEN AND CABINET LIGHTING








For all kinds of kitchens and cabinets. For example, the inside of a cabinet, underneath cabinets, display cabinets and open cupboards or shelves. Our Kitchen and Cabinet Lighting is LED inclusive and incredibly easy to install and connect – truly plug ‘n play. A wide range of sensors are available, such as single door surface mounted (aluminium or PVC), PIR recessed or surface mounted and mini detector. This range offers a lot of variety and is very widely applicable. Can be used for functional light as well as ambient. Thanks to its slim design, it goes nearly everywhere.

YPHIX KITCHEN AND CABINET LIGHTING












QUALITY FEATURES:





- Modular LED inclusive fixtures for cabinets and closets
- Incredibly easy to install and connect
- Dimmable with optional touch dimmer
- Variety of (door) sensors and detectors
- Slim designs go nearly everywhere
- Works on 12V or 24V
- Matching slim transformers available
- Many options to make configuration dimmable



SKU	Product name	Diameter (mm)	Length (mm)	Width (mm)	Height (mm)	IP value	Colour	Dimmable	Lifetime (hrs)	Wattage (W)	Input Voltage	Cut hole size (mm)	Lumen (Lm)	Kelvin value (K)	CRI	Beam angle
 50437805	LED cabinet lighting spot Novello recessed and surface-mounted 3W 2700K aluminium dimmable 12V DC	Ø62			12,5	IP20	Aluminium	Yes	30000	3	12V DC	Ø55	240	2700K	>80	105°
 50487815	LED cabinet lighting spot Livo surface-mounted 3W 2700K aluminium dimmable 12V DC	Ø65			5	IP20	Aluminium	Yes	30000	3	12V DC		220	2700K	>80	105°
 50487850	LED cabinet lighting spot Somano surface-mounted 3W 2700K aluminium dimmable 12V DC		190	60	5	IP20	Aluminium	Yes	30000	3	12V DC		220	2700K	>80	105°
 50487855	LED cabinet lighting 20cm surface-mounted 3W 3000K aluminium dimmable 24V DC		215	18	14,5	IP20	White	Yes	30000	3	24V DC		150	3000K	>80	120°
 50487856	LED cabinet lighting 30cm surface-mounted 4,5W 3000K aluminium dimmable 24V DC		315	18	14,5	IP20	White	Yes	30000	4,5	24V DC		250	3000K	>80	120°
 50487857	LED kitchen lighting with motion sensor surface-mounted 6W 3000K aluminium 12V DC		450	45	12,2	IP20	Aluminium	No	30000	6	12V DC		250	3000K	>80	120°
 50487858	LED kitchen lighting with PIR sensor surface-mounted 6W 3000K aluminium 12V DC		450	45	14,3	IP20	Aluminium	No	30000	6	12V DC		250	3000K	>80	120°



SKU	Product name	Diameter (mm)	Length (mm)	Width (mm)	Height (mm)	IP value	Colour	Lifetime (hrs)	Input Voltage	Output Voltage	Installation height (mm)	Cut hole size (mm)
 50487920	LED touch dimmer recessed 12-24V DC 1x3A	22			16,5	IP20	White/Aluminium		12-24V DC	12-24V DC		
 50487980	LED cabinet lighting door sensor surface-mounted max 3A aluminium 12-24V DC		64	28	17	IP20	White/Aluminium		12-24V DC	12-24V DC		
 50487981	LED cabinet lighting door sensor surface-mounted max 3A white 12-24V DC		23	18,5	7,5	IP20	White		12-24V DC	12-24V DC		
 50487983	LED cabinet lighting motion sensor surface-mounted max 3A white 12-24V DC		23	18,5	7,5	IP20	White		12-24V DC	12-24V DC		
 50487984	LED cabinet lighting door sensor mini detector recessed-mounted max 3A aluminium 12-24V DC	10,5			14	IP20	White/Aluminium		12-24V DC	12-24V DC		8
 50487985	LED cabinet lighting motion sensor surface-mounted max 3A aluminium 12-24V DC		62	18	14,5	IP20	Aluminium		12-24V DC	12-24V DC		
 50487986	LED cabinet lighting PIR motion sensor surface-mounted max 3A aluminium 12-24V DC		62	18	17,5	IP20	Aluminium		12-24V DC	12-24V DC		
 50487987	LED cabinet lighting PIR motion sensor recessed max 3A aluminium 12-24V DC	22			24	IP20	White/Aluminium		12-24V DC	12-24V DC		18
 50487988	LED cabinet lighting PIR motion sensor surface-mounted max 3A 12-24V DC	22	30	21	20	IP20	White		12V-24V DC	12-24V DC		
 50489501	LED cabinet lighting connectorbox white sixfold 12 and 24V DC		59	38	10	IP20	White		12-24V DC	12-24V DC		
 50487852	LED cabinet lighting connection cable 10cm surface-mounted max 3A white 24V DC		26	18	14,5	IP20	Aluminium		24V DC	24V DC		

SKU	Product name	Diameter (mm)	Length (mm)	Width (mm)	Height (mm)	IP value	Colour	Lifetime (hrs)	Input Voltage	Output Voltage	Installation height (mm)	Cut hole size (mm)
 50487853	LED cabinet lighting connection cable 40cm surface-mounted max 3A white 24V DC		26	18	14,5	IP20	Aluminium		24V DC	24V DC		
 50487854	LED cabinet lighting connection cable 100cm max 3A white 12-24V DC		1000	8,2	6	IP20	White		12-24V DC	12-24V DC		
 50481000	Aluminium cabinet profile 1m		1000	32	12,8	IP20	Aluminium					
 50482000	Cabinet profile milky white cover 1m		1000	11,5	1,2	IP20	White					

Power supply 12V







50489116

Power supply 24V



50489131

SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Colour	Dimmable	Input Voltage	Output Voltage
 50489116	LED power supply 12V 1,25A Max. 15W	130	46	16	IP20	White	No	220-240V AC	12V DC
 50489132	LED power supply 12V 2,5A Max. 30W	163	46	18	IP20	White	No	220-240V AC	12V DC
 50489117	LED power supply 24V 0,625A Max. 15W	130	46	16	IP20	White	No	220-240V AC	24V DC
 50489131	LED power supply 24V 1,25A Max. 30W	163	46	18	IP20	White	No	220-240V AC	24V DC



