
















## 9 – LED STRIPS AND PROFILES

Extensive range of high-quality and flexible LED strips for any application inside and outside. The difference is in the quality: Yphix strips have a super slim design with 3M tape on the back of each strip for perfect fixation. Gold-wired chips instead of gold alloy. Flexible and strong profile covers that don't break when cut. Corner strips are available too, up to 90 degrees foldable. Available in IP20, IP65 and IP68. Large range of connectors available. Mounting clips and end caps available for all profiles. LED Strips and profiles have many different uses, like underneath counters, in the wall between tiles, inside cabinets, above pond edges, underneath steps, under roofs, inside a trunks or trailers.





### YPHIX STRIPS AND PROFILES QUALITY FEATURES:





- Gold-wired chips instead of gold alloy
- Up to IP68 (can even be used in fresh water)
- Strips are easy to cut and connect per 5, 10 or 20 cm (RGBW LED strips)
- A perfect powder-coated profile for every strip
- Easy to use and cut profile covers that don't break
- CCT: 2700K, 3000K, 4000K, 6000K, RGB and RGB(W)
- Profiles available in black, white and aluminium colour
- The amount of SMD equals the amount of individual lights on the strip(e), and the more SMD's, the smoother the light
- COB LED strips with 480 LED's and max 1500-1740 Lumen per meter gives the smoothest result
- Guarantee all LED strips: 5 years











SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Dim-mable	Lifetime (hrs)	Wattage (W)	Input Voltage	Lumen (Lm)	Kelvin value (K)	CRI	Beam angle	Lumen (Lm)/ meter	Wattage (W) / meter	Number of LED's/ meter
	50054902 LED strip 5m 12V 2700K IP20 150 SMD 3528 LEDs	5000	8	2,2	IP20	Yes	50000	12	12V DC	1050	2700K	>90	120°	210	2,4	30
	50054903 LED strip 5m 12V 3000K IP20 150 SMD 3528 LEDs	5000	8	2,2	IP20	Yes	50000	12	12V DC	1100	3000K	>90	120°	220	2,4	30
	50054904 LED strip 5m 12V 4000K IP20 150 SMD 3528 LEDs	5000	8	2,2	IP20	Yes	50000	12	12V DC	1150	4000K	>90	120°	230	2,4	30
	50055002 LED strip 5m 12V 2700K IP20 300 SMD 3528 LEDs	5000	8	2,2	IP20	Yes	50000	24	12V DC	2150	2700K	>90	120°	430	4,8	60
	50055003 LED strip 5m 12V 3000K IP20 300 SMD 3528 LEDs	5000	8	2,2	IP20	Yes	50000	24	12V DC	2250	3000K	>90	120°	450	4,8	60
	50055004 LED strip 5m 12V 4000K IP20 300 SMD 3528 LEDs	5000	8	2,2	IP20	Yes	50000	24	12V DC	2400	4000K	>90	120°	480	4,8	60
	50055095 LED strip 5m 12V 2700K IP20 300 SMD 2835 LEDs 90° bendable	5000	6	2,2	IP20	Yes	50000	23	12V DC	1950	2700K	>90	120°	390	4,6	60
	50054702 LED strip 5m 12V 2700K IP68 150 SMD 3528 LEDs	5000	11	5	IP68	Yes	50000	12	12V DC	900	2700K	>90	120°	210	2,4	30
	50054703 LED strip 5m 12V 3000K IP68 150 SMD 3528 LEDs	5000	11	5	IP68	Yes	50000	12	12V DC	900	3000K	>90	120°	220	2,4	30
	50054704 LED strip 5m 12V 4000K IP68 150 SMD 3528 LEDs	5000	11	5	IP68	Yes	50000	12	12V DC	950	4000K	>90	120°	230	2,4	30
	50054802 LED strip 5m 12V 2700K IP68 300 SMD 3528 LEDs	5000	11	5	IP68	Yes	50000	24	12V DC	1500	2700K	>90	120°	430	4,8	60
	50054803 LED strip 5m 12V 3000K IP68 300 SMD 3528 LEDs	5000	11	5	IP68	Yes	50000	24	12V DC	1600	3000K	>90	120°	450	4,8	60
	50054804 LED strip 5m 12V 4000K IP68 300 SMD 3528 LEDs	5000	11	5	IP68	Yes	50000	24	12V DC	1650	4000K	>90	120°	480	4,8	60








SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Dim-mable	Lifetime (hrs)	Wattage (W)	Input Voltage	Lumen (Lm)	Kelvin value (K)	CRI	Beam angle	Lumen (Lm)/ meter	Wattage (W) / meter	Number of LED's/ meter
	50055060 LED strip 5m 24V 2700K IP20 300 SMD 5050 LEDs	5000	10	2,1	IP20	Yes	50000	72	24V DC	6650	2700K	>90	120°	1330	14,4	60
	50055061 LED strip 5m 24V 3000K IP20 300 SMD 5050 LEDs	5000	10	2,1	IP20	Yes	50000	72	24V DC	7300	3000K	>90	120°	1460	14,4	60
	50055062 LED strip 5m 24V 4000K IP20 300 SMD 5050 LEDs	5000	10	2,1	IP20	Yes	50000	72	24V DC	7500	4000K	>90	120°	1500	14,4	60
	50055063 LED strip 5m 24V 6000K IP20 300 SMD 5050 LEDs	5000	10	2,1	IP20	Yes	50000	72	24V DC	7300	6000K	>90	120°	1460	14,4	60





SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Dim-mable	Lifetime (hrs)	Wattage (W)	Input Voltage	Lumen (Lm)	Kelvin value (K)	CRI	Beam angle	Lumen (Lm)/ meter	Wattage (W) / meter	Number of LED's/ meter
 50054860	LED strip 5m 24V 2700K IP68 300 SMD 5050 LEDs	5000	12,5	5,3	IP68	Yes	50000	72	24V DC	5750	2700K	>90	120°	1330	14,4	60
 50054861	LED strip 5m 24V 3000K IP68 300 SMD 5050 LEDs	5000	12,5	5,3	IP68	Yes	50000	72	24V DC	6650	3000K	>90	120°	1460	14,4	60
 50054862	LED strip 5m 24V 4000K IP68 300 SMD 5050 LEDs	5000	12,5	5,3	IP68	Yes	50000	72	24V DC	6900	4000K	>90	120°	1500	14,4	60
 50054863	LED strip 5m 24V 6000K IP68 300 SMD 5050 LEDs	5000	12,5	5,3	IP68	Yes	50000	72	24V DC	6650	6000K	>90	120°	1460	14,4	60



SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Dim-mable	Lifetime (hrs)	Wattage (W)	Input Voltage	Lumen (Lm)	Kelvin value (K)	CRI	Beam angle	Lumen (Lm)/ meter	Wattage (W) / meter	Number of LED's/ meter
 50055030	LED strip 5m 24V 2700K IP20 2400 COB LEDs	5000	10	2,1	IP20	Yes	50000	80	24V DC	6100	2700K	>90	120°	1220	16	480
 50055031	LED strip 5m 24V 3000K IP20 2400 COB LEDs	5000	10	2,1	IP20	Yes	50000	80	24V DC	7000	3000K	>90	120°	1400	16	480
 50055032	LED strip 5m 24V 4000K IP20 2400 COB LEDs	5000	10	2,1	IP20	Yes	50000	80	24V DC	7600	4000K	>90	120°	1520	16	480
 50055033	LED strip 5m 24V 6000K IP20 2400 COB LEDs	5000	10	2,1	IP20	Yes	50000	80	24V DC	8000	6000K	>90	120°	1600	16	480
 50055034	LED strip 5m 24V 2700K IP68 2400 COB LEDs	5000	13	5	IP68	Yes	50000	80	24V DC	4200	2700K	>90	120°	1220	16	480
 50055035	LED strip 5m 24V 3000K IP68 2400 COB LEDs	5000	13	5	IP68	Yes	50000	80	24V DC	5200	3000K	>90	120°	1400	16	480
 50055036	LED strip 5m 24V 4000K IP68 2400 COB LEDs	5000	13	5	IP68	Yes	50000	80	24V DC	6000	4000K	>90	120°	1520	16	480
 50055037	LED strip 5m 24V 6000K IP68 2400 COB LEDs	5000	13	5	IP68	Yes	50000	80	24V DC	6300	6000K	>90	120°	1600	16	480



SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Dim-mable	Lifetime (hrs)	Wattage (W)	Input Voltage	Lumen (Lm)	Kelvin value (K)	CRI	Beam angle	Lumen (Lm)/ meter	Wattage (W) / meter	Number of LED's/ meter
 50055001	LED strip 5m 12V RGB IP20 150 SMD 5050 LEDs	5000	10	2,2	IP20	Yes	50000	36	12V DC	1850	RGB (> 1 million colours)	>90	120°	370	7,2	30
 50055011	LED strip 5m 12V RGB IP20 300 SMD 5050 LEDs	5000	10	2,2	IP20	Yes	50000	72	12V DC	3100	RGB (> 1 million colours)	>90	120°	620	14,4	60
 50055064	LED strip 5m 24V RGB IP20 300 SMD 5050 LEDs	5000	10	2,2	IP20	Yes	50000	72	24V DC	3800	RGB (> 1 million colours)	>90	120°	760	14,4	60
 50055065	LED strip 5m 24V RGBW IP20 300 SMD 5050 LEDs	5000	12	2,2	IP20	Yes	50000	72	24V DC	4200	RGBW (RGB + 2700K)	>90	120°	840	14,4	60

SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Dim-mable	Lifetime (hrs)	Wattage (W)	Input Voltage	Lumen (Lm)	Kelvin value (K)	CRI	Beam angle	Lumen (Lm)/ meter	Wattage (W) meter	Number of LED's/ meter
 50054801	LED strip 5m 12V RGB IP68 150 SMD 5050 LEDs	5000	12,5	5	IP68	Yes	50000	36	12V DC	1600	RGB (> 1 million colours)	>90	120°	370	7,2	30
 50054811	LED strip 5m 12V RGB IP68 300 SMD 5050 LEDs	5000	12,5	5	IP68	Yes	50000	72	12V DC	2300	RGB (> 1 million colours)	>90	120°	3100	14,4	60
 50054864	LED strip 5m 24V RGB IP68 300 SMD 5050 LEDs	5000	12,5	5,3	IP68	Yes	50000	72	24V DC	3300	RGB > 1 million colours)	>90	120°	3800	14,4	60
 50054865	LED strip 5m 24V RGBW IP68 300 SMD 5050 LEDs	5000	14,5	5,3	IP68	Yes	50000	72	24V DC	3400	RGBW (RGB + 2700K)	>90	120°	4200	14,4	60

## Strip to wire



50056501

## Strip to strip



50056514

## Strip to strip






























50056523

## Strip to strip 90°






50056515








SKU	Product name	Length (mm)	Width (mm)	IP value
 50056501	LED strip connector strip to wire 12V 3528 SMD 15cm IP20	150	15	IP20
 50056502	LED strip connector strip to strip 12V 3528 SMD 15cm IP20	150	15	IP20
 50056503	LED strip connector strip to strip 12V 3528 SMD IP20	15	15	IP20
 50056504	LED strip connector strip to strip 12V 3528 SMD 50cm IP20	500	20	IP20
 50056505	LED strip connector strip to strip 90° 12V 3528 SMD IP20	30	30	IP20
 50056511	LED strip connector strip to wire 24V 5050 SMD 15cm IP20	150	15	IP20
 50056512	LED strip connector strip to strip 24V 5050 SMD 15cm IP20	150	15	IP20
 50056513	LED strip connector strip to strip 24V 5050 SMD IP20	15	15	IP20
 50056514	LED strip connector strip to strip 24V 5050 SMD 50cm IP20	500	20	IP20
 50056515	LED strip connector strip to strip 90° 24V 5050 SMD IP20	30	30	IP20
 50056530	LED strip connector strip to wire 12V and 24V RGB 5050 SMD 15cm IP20	150	20	IP20
 50056531	LED strip connector strip to strip 12V and 24V RGB 5050 SMD 15cm IP20	150	20	IP20
 50056532	LED strip connector strip to strip 12V and 24V RGB 5050 SMD IP20	15	20	IP20
 50056533	LED strip connector strip to strip 12V and 24V RGB 5050 SMD 50cm IP20	500	15	IP20














SKU	Product name	Length (mm)	Width (mm)	IP value
 50056534	LED strip connector strip to strip 90° 12V and 24V RGB 5050 SMD	30	30	IP20
 50056541	LED strip connector strip to wire 12V 2835 SMD 15cm IP65	150	25	IP65
 50056542	LED strip connector strip to strip 12V 2835 SMD IP65	15	25	IP65
 50056551	LED strip connector strip to wire 24V COB 15cm IP20	150	12	IP20
 50056552	LED strip connector strip to strip 24V COB 15cm IP20	150	12	IP20
 50056553	LED strip connector strip to strip 24V COB IP20	15	16	IP20
 50056554	LED strip connector strip to strip 24V COB 50cm IP20	500	12	IP20
 50056555	LED strip connector strip to strip 90° 24V COB IP20	28	28	IP20
 50056561	LED strip connector strip to wire 24V RGBW 5050 SMD 15cm IP20	150	16	IP20
 50056562	LED strip connector strip to strip 24V RGBW 5050 SMD 15cm IP20	150	16	IP20
 50056563	LED strip connector strip to strip 24V RGBW 5050 SMD IP20	16	16	IP20
 50056564	LED strip connector strip to strip 24V RGBW 5050 SMD 50cm IP20	500	16	IP20
 50056565	LED strip connector strip to strip 90° 24V RGBW 5050 SMD IP20	30	30	IP20

## Surface-mounted profiles










Felita	Potenza	Senisa
		
50289400 ○ ○ ●	50289417 ○ ○ ●	50289432 ○

## Low version

SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Colour	Recessed or surface-mounted	Suitable for
 50289405	LED strip profile Felita aluminium extra low 1m with clear cover	1000	15	6	IP20	Aluminium	Surface-mounted	12-24V: IP20
 50289400	LED strip profile Felita aluminium extra low 1m with milky white cover	1000	15	6	IP20	Aluminium	Surface-mounted	12-24V: IP20
 50289407	LED strip profile Felita white extra low 1m with clear cover	1000	15	6	IP20	White	Surface-mounted	12-24V: IP20
 50289402	LED strip profile Felita white extra low 1m with milky white cover	1000	15	6	IP20	White	Surface-mounted	12-24V: IP20
 50289406	LED strip profile Felita aluminium extra low 5m (2 x 2,5m) with clear cover	5000	15	6	IP20	Aluminium	Surface-mounted	12-24V: IP20
 50289401	LED strip profile Felita aluminium extra low 5m (2 x 2,5m) with milky white cover	5000	15	6	IP20	Aluminium	Surface-mounted	12-24V: IP20
 50289408	LED strip profile Felita white extra low 5m (2 x 2,5m) with clear cover	5000	15	6	IP20	White	Surface-mounted	12-24V: IP20





SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Colour	Recessed or surface-mounted	Suitable for
 50289403	LED strip profile Felita white extra low 5m (2 x 2,5m) with milky white cover	5000	15	6	IP20	White	Surface-mounted	12-24V: IP20
 50289409	LED strip profile Felita black extra low 5m (2 x 2,5m) with milky white cover	5000	15	6	IP20	Black	Surface-mounted	12-24V: IP20
 50289404	LED strip profile Felita black extra low 5m (2 x 2,5m) with black cover	5000	15	6	IP20	Black	Surface-mounted	12-24V: IP20
 50289415	LED strip profile Potenza aluminium low 1m with clear cover	1000	17	9	IP20	Aluminium	Surface-mounted	12-24V: IP20
 50289410	LED strip profile Potenza aluminium low 1m with milky white cover	1000	17	9	IP20	Aluminium	Surface-mounted	12-24V: IP20
 50289417	LED strip profile Potenza white low 1m with clear cover	1000	17	9	IP20	White	Surface-mounted	12-24V: IP20
 50289412	LED strip profile Potenza white low 1m with milky white cover	1000	17	9	IP20	White	Surface-mounted	12-24V: IP20
 50289416	LED strip profile Potenza aluminium low 5m (2 x 2,5m) with clear cover	5000	17	9	IP20	Aluminium	Surface-mounted	12-24V: IP20
 50289411	LED strip profile Potenza aluminium low 5m (2 x 2,5m) with milky white cover	5000	17	9	IP20	Aluminium	Surface-mounted	12-24V: IP20
 50289418	LED strip profile Potenza white low 5m (2 x 2,5m) with clear cover	5000	17	9	IP20	White	Surface-mounted	12-24V: IP20
 50289413	LED strip profile Potenza white low 5m (2 x 2,5m) with milky white cover	5000	17	9	IP20	White	Surface-mounted	12-24V: IP20
 50289419	LED strip profile Potenza black low 5m (2 x 2,5m) with milky white cover	5000	17	9	IP20	Black	Surface-mounted	12-24V: IP20
 50289414	LED strip profile Potenza black low 5m (2 x 2,5m) with black cover	5000	17	9	IP20	Black	Surface-mounted	12-24V: IP20

### High version

 50289425	LED strip profile Potenza aluminium high 1m with clear cover	1000	17	16	IP20	Aluminium	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289420	LED strip profile Potenza aluminium high 1m with milky white cover	1000	17	16	IP20	Aluminium	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289427	LED strip profile Potenza white high 1m with clear cover	1000	17	16	IP20	White	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289422	LED strip profile Potenza white high 1m with milky white cover	1000	17	16	IP20	White	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289426	LED strip profile Potenza aluminium high 5m (2 x 2,5m) with clear cover	5000	17	16	IP20	Aluminium	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289421	LED strip profile Potenza aluminium high 5m (2 x 2,5m) with milky white cover	5000	17	16	IP20	Aluminium	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289428	LED strip profile Potenza white high 5m (2 x 2,5m) with clear cover	5000	17	16	IP20	White	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289423	LED strip profile Potenza white high 5m (2 x 2,5m) with milky white cover	5000	17	16	IP20	White	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289429	LED strip profile Potenza black high 5m (2 x 2,5m) with milky white cover	5000	17	16	IP20	Black	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289424	LED strip profile Potenza black high 5m (2 x 2,5m) with black cover	5000	17	16	IP20	Black	Surface-mounted	12-24V: IP20-IP65-IP68*

\*Not suitable for 50054865









## Extra wide version

SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Colour	Recessed or surface-mounted	Suitable for
 50289432	LED strip profile Senisa aluminium extra wide 1m with clear cover	1000	22	10,5	IP20	Aluminium	Surface-mounted	12-24V: IP20-IP65-IP68
 50289430	LED strip profile Senisa aluminium extra wide 1m with milky white cover	1000	22	10,5	IP20	Aluminium	Surface-mounted	12-24V: IP20-IP65-IP68
 50289433	LED strip profile Senisa aluminium extra wide 5m (2 x 2,5m) with clear cover	5000	22	10,5	IP20	Aluminium	Surface-mounted	12-24V: IP20-IP65-IP68
 50289431	LED strip profile Senisa aluminium extra wide 5m (2 x 2,5m) with milky white cover	5000	22	10,5	IP20	Aluminium	Surface-mounted	12-24V: IP20-IP65-IP68









## Recessed profiles







## Low version

SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Colour	Recessed or surface-mounted	Suitable for
 50289445	LED strip profile Matera aluminium low 1m with clear cover	1000	15	6	IP20	Aluminium	Recessed	12-24V: IP20
 50289440	LED strip profile Matera aluminium low 1m with milky white cover	1000	15	6	IP20	Aluminium	Recessed	12-24V: IP20
 50289446	LED strip profile Matera aluminium low 5m (2 x 2,5m) with clear cover	5000	15	6	IP20	Aluminium	Recessed	12-24V: IP20
 50289441	LED strip profile Matera aluminium low 5m (2 x 2,5m) with milky white cover	5000	15	6	IP20	Aluminium	Recessed	12-24V: IP20
 50289447	LED strip profile Matera white low 5m (2 x 2,5m) with clear cover	5000	15	6	IP20	White	Recessed	12-24V: IP20
 50289443	LED strip profile Matera white low 5m (2 x 2,5m) with milky white cover	5000	15	6	IP20	White	Recessed	12-24V: IP20
 50289449	LED strip profile Matera black low 5m (2 x 2,5m) with milky white cover	5000	15	6	IP20	Black	Recessed	12-24V: IP20
 50289444	LED strip profile Matera black low 5m (2 x 2,5m) with black cover	5000	15	6	IP20	Black	Recessed	12-24V: IP20

## High version









 50289455	LED strip profile Matera aluminium high 1m with clear cover	1000	15	12	IP20	Aluminium	Recessed	12V: IP20-IP65-IP68 24V: IP20
 50289450	LED strip profile Matera aluminium high 1m with milky white cover	1000	15	12	IP20	Aluminium	Recessed	12V: IP20-IP65-IP68 24V: IP20
 50289456	LED strip profile Matera aluminium high 5m (2 x 2,5m) with clear cover	5000	15	12	IP20	Aluminium	Recessed	12V: IP20-IP65-IP68 24V: IP20
 50289451	LED strip profile Matera aluminium high 5m (2 x 2,5m) with milky white cover	5000	15	12	IP20	Aluminium	Recessed	12V: IP20-IP65-IP68 24V: IP20
 50289457	LED strip profile Matera white high 5m (2 x 2,5m) with clear cover	5000	15	12	IP20	White	Recessed	12V: IP20-IP65-IP68 24V: IP20
 50289453	LED strip profile Matera white high 5m (2 x 2,5m) with milky white cover	5000	15	12	IP20	White	Recessed	12V: IP20-IP65-IP68 24V: IP20
 50289459	LED strip profile Matera black high 5m (2 x 2,5m) with milky white cover	5000	15	12	IP20	Black	Recessed	12V: IP20-IP65-IP68 24V: IP20
 50289454	LED strip profile Matera black high 5m (2 x 2,5m) with black cover	5000	15	12	IP20	Black	Recessed	12V: IP20-IP65-IP68 24V: IP20

## Extra wide version

SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Colour	Recessed or surface-mounted	Suitable for
 50289462	LED strip profile Marconia aluminium extra wide 1m with clear cover	1000	22	10,5	IP20	Aluminium	Recessed	12-24V: IP20-IP65-IP68
 50289460	LED strip profile Marconia aluminium extra wide 1m with milky white cover	1000	22	10,5	IP20	Aluminium	Recessed	12-24V: IP20-IP65-IP68
 50289463	LED strip profile Marconia aluminium extra wide 5m (2 x 2,5m) with clear cover	5000	22	10,5	IP20	Aluminium	Recessed	12-24V: IP20-IP65-IP68
 50289461	LED strip profile Marconia aluminium extra wide 5m (2 x 2,5m) with milky white cover	5000	22	10,5	IP20	Aluminium	Recessed	12-24V: IP20-IP65-IP68

## Corner profiles





SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Colour	Recessed or surface-mounted	Suitable for
 50289474	LED strip profile Tarenta aluminium corner 1m with clear cover	1000	18	18	IP20	Aluminium	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289470	LED strip profile Tarenta aluminium corner 1m with milky white cover	1000	18	18	IP20	Aluminium	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289476	LED strip profile Tarenta white corner 1m with clear cover	1000	18	18	IP20	White	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289472	LED strip profile Tarenta white corner 1m with milky white cover	1000	18	18	IP20	White	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289475	LED strip profile Tarenta aluminium corner 5m (2 x 2,5m) with clear cover	5000	18	18	IP20	Aluminium	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289471	LED strip profile Tarenta aluminium corner 5m (2 x 2,5m) with milky white cover	5000	18	18	IP20	Aluminium	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289477	LED strip profile Tarenta white corner 5m (2 x 2,5m) with clear cover	5000	18	18	IP20	White	Surface-mounted	12-24V: IP20-IP65-IP68*
 50289473	LED strip profile Tarenta white corner 5m (2 x 2,5m) with milky white cover	5000	18	18	IP20	White	Surface-mounted	12-24V: IP20-IP65-IP68*


\*Not suitable for 50054865






















## Cabinet profiles



SKU	Product name	Length (mm)	Width (mm)	Height (mm)	IP value	Colour	Recessed or surface-mounted	Suitable for
 50481000	Aluminium cabinet profile 1m	1000	32	12,8	IP20	Aluminium	Surface-mounted	12V: IP20 150 SMD
 50482000	Cabinet profile milky white cover 1m	1000	11,5	1,2	IP20	White		12V: IP20 150 SMD










SKU	Product name	IP value	Colour
 50289988	End caps grey for ledstrip profile Felita	IP20	Grey
 50289989	End caps grey for ledstrip profile Potenza low	IP20	Grey
 50289990	End caps grey for ledstrip profile Potenza high	IP20	Grey
 50289991	End caps grey for ledstrip profile Senisa	IP20	Grey
 50289992	End caps grey for ledstrip profile Matera low	IP20	Grey
 50289993	End caps grey for ledstrip profile Matera high	IP20	Grey
 50289994	End caps grey for ledstrip profile Marconia	IP20	Grey
 50289995	End caps grey for ledstrip profile Tarenta	IP20	Grey
 50289920	End caps white for ledstrip profile Felita	IP20	White
 50289921	End caps white for ledstrip profile Potenza low	IP20	White
 50289922	End caps white for ledstrip profile Potenza high	IP20	White
 50289923	End caps white for ledstrip profile Senisa	IP20	White
 50289924	End caps white for ledstrip profile Matera low	IP20	White
 50289925	End caps white for ledstrip profile Matera high	IP20	White
 50289926	End caps white for ledstrip profile Marconia	IP20	White
 50289927	End caps white for ledstrip profile Tarenta	IP20	White
 50289950	End caps black for ledstrip profile Felita	IP20	Black
 50289951	End caps black for ledstrip profile Potenza low	IP20	Black
 50289952	End caps black for ledstrip profile Potenza high	IP20	Black
 50289954	End caps black for ledstrip profile Matera low	IP20	Black
 50289955	End caps black for ledstrip profile Matera high	IP20	Black



50289981



SKU	Product name	IP value	Colour
 50289980	Mounting clips aluminium for ledstrip profile Felita	IP20	Aluminium
 50289981	Mounting clips aluminium for ledstrip profile Potenza low	IP20	Aluminium
 50289982	Mounting clips aluminium for ledstrip profile Potenza high	IP20	Aluminium
 50289983	Mounting clips aluminium for ledstrip profile Senisa	IP20	Aluminium
 50289987	Mounting clips aluminium for ledstrip profile Tarenta	IP20	Aluminium

