



DIMMABLE WITH WALL DIMMER

Dimming with 230V LED built-in wall dimmer: Combine the dimmable 12V DC transformer max. 50W or 100W with an LED dimmer 230V trailing edge. The dimming range with this combination is 70-90%. With a higher load, the dimming range will improve. You can connect the 50W dimmable DC transformer 50349503 with 10-40W load of LED stripes. The 100W dimmable DC transformer 50349505 can be connected with 12-80W load of LED stripes.

PRODUCT COMBINATION

- LED dimmer 3-50W flush-mounted 230V phase cut-off Art. no. 50178506
- LED transformer 12V 4.16A Max. 50W dimmable* Art. no. 50349503
- LED strip 5m 12V 150 SMD 3528 LEDS Art. no. 50054902 | 50054903 | 50054904 | 50054702 | 50054703 | 50054704
- Connector:
 - LED strip connector 12V 3528 SMD IP20 Art. no. 50056501
 - LED strip connector strip to strip 12V 3528 SMD IP20* Art. no. 50056502



***OTHER OPTION**

LED TRANSFORMATOR DIMMABLE			CO
1	LED transformator 12V 8,33A Max. 100W dimbaar Art. no. 50349505		1

CONNECTOR

- LED strip connector 12V 3528

 SMD IP20 50cm

 Art. no. 50056504
- 2 LED strip connector strip naar strip 12V 3528 SMD IP20 Art. no. 50056503
- LED strip connector 90 degrees
 3528 SMD
 Art. no. 50056505






DIMMABLE WITH RF REMOTE 1 ZONE

Wireless dimming with RF remote or touch dimmer: Choose the DRF-T10 dimmer together with a nondimmable 12V DC transformer. The dimmer will be placed between the transformer and the stripe. This is a perfect combination when you want to dim and switch the LED stripe wireless with a 100% dimming range. It is also possible to control your stripe with a pulse switch or wall remote on the wall. Another possibility is to control the stripe with a touch dimmer, which is perfect for the kitchen!

IP68

PRODUCT COMBINATION

- LED transformator 12V 1,5A Max. 30W Art. no. 50089215
- Dimmer (one or both):
 - LED dimmer DRF-T10 12-24V 10A incl. RF remote control Art. no. 50208503
 - LED touch dimmer built-in 12-24V 1x3A Art. no. 50487920
- Dimmer extension optional (one or more):
 - Wireless wall-mounted controller RF dimmers 1 zone* Art. no. 50208687
- LED strip 5m 12V 150 SMD 3528 LEDS Art. no. 50258303 | 50258310 | 50258311 | 50258323
- Connector:
 - LED strip connector 12V 3528 SMD IP20 Art. no. 50056501
 - LED strip connector strip to strip 12V 3528 SMD IP20* Art. no. 50056502



***OTHER OPTION**

LED TRANSFORMATOR			DIMMER EXTENSION				
1 LED transformator 12V 2,5A Max. 30W Art. no. 50089215		troller RF dimmers 4 zones		Pulse switch flush-mounted com- plete with cover frame Art. no. 50178530			
CONNECTOR							
1	LED strip connector 12V 3528 SMD IP20 50cm Art. no. 50056504	2	LED strip connector strip to strip 12V 3528 SMD IP20 Art. no. 50056503	3	LED strip connector 90 degrees 3528 SMD Art. no. 50056505		

LIGHT - DESIGNED WITH YPHIX






DIMMABLE WITH RF REMOTE 5 ZONES

Wireless dimming with RF remote: Choose the CV 5 ZD with a non-dimmable 12V DC LED transformer. The dimmer will be placed between the transformer and the stripe. This is a perfect combination when you want to dim and switch the LED stripe wireless with a 100% dimming range. You can even control multiple LED stripes with one remote! It is also possible to control the stripe from a fixed spot in the wall, with a pulse switch or wall remote.

PRODUCT COMBINATION

- LED transformator 12V 1,5A Max. 18W* Art. no. 50089210
- LED dimmer CV 5ZD Art. no. 50208620
- Remote (one or both):
 - RF Remote control for LED Dimmers CV-5ZD CC-350-5ZD and CC-700-5ZD black* Art. no. 50208610
- LED strip 5m 12V 150 SMD 3528 LEDS Art. no. 50258303 | 50258310 | 50258311 | 50258323
- Connector:
 - LED strip connector 12V 3528 SMD IP20 Art. no. 50056501
 - LED strip connector strip to strip 12V 3528 SMD IP20* Art. no. 50056502



***OTHER OPTION**

LED TRANSFORMATOR 1 LED transformator 12V 2,5A Max. 30W Art. no. 50089215

			Λ.
	ч.	H 1	IVI
	IX.		

OTF

- 1 Wireless wall-mounted controller RF dimmers 4 zones Art. no. 50208688
- 2 Pulse switch flush-mounted complete with cover frame Art. no. 50178530

CONNECTOR

- 1 LED strip connector 12V 3528 SMD IP20 50cm Art. no. 50056504
- 2 LED strip connector strip to strip 12V 3528 SMD IP20

Art. no. 50056503

3 LED strip connector 90 degrees 3528 SMD






ZIGBEE CONTROLLED

Combine the non-dimmable LED transformer 12V with our YPHIX Zigbee LED dimmer 12-24V suitable for all LED stripes, so you can easily control your LED stripes "Smart". Can be connected to your home network via an app with hub, but also with a remote or our wireless Zigbee wall remotes on a fixed spot.

PRODUCT COMBINATION

- LED transformator 12V 1,5A Max. 18W* Art. no. 50089210
- YPHIX Zigbee LED dimmer 12-24V suitable for all LED strip lights Art. no. 50208512
- Remote (one or both):
 - Wireless wall control Zigbee 1 zone* Art. no. 50208689
 - Smart LED remote control white Art. no. 50208520
- LED strip 5m 12V 150 SMD 3528 LEDS Art. no. 50258303 | 50258310 | 50258311 | 50258323
- Connector:
 - LED strip connector 12V 3528 SMD IP20 Art. no. 50056501
 - LED strip connector strip to strip 12V 3528 SMD IP20* Art. no. 50056502



***OTHER OPTION**

LED	TRANSFORMATOR
1	LED transformator 12V 2,5A Max.
	30W

Art. no. 50089215

REMOTE

- 1 Wireless wall control Zigbee 2 zones Art. no. 50208690
 - Wireless wall contro
- 2 Wireless wall control Zigbee 4 zones Art. no. 50208691

CONNECTOR

- 1 LED strip connector 12V 3528 SMD IP20 50cm Art. no. 50056504
- 2 LED strip connector strip to strip 12V 3528 SMD IP20
 - Art. no. 50056503
- 3 LED strip connector 90 degrees 3528 SMD
 - Art. no. 50056505