

DIMMABLE WITH WALL DIMMER

Dimming with 230V LED built-in wall dimmer: Combine the dimmable 12V DC transformer max. 50W or 100W with an

LED dimmer 230V trailing edge. The dimming range with this combination is 70-90%. With a higher load, the dimming range will improve. You can connect the 50W dimmable DC transformer 50349503 with 10-40W load of LED stripes. The 100W dimmable DC transformer 50349505 can be connected with 12-80W load of LED stripes.

PRODUCT COMBINATION

- LED dimmer 3-50W flush-mounted 230V phase cut-off Art. no. 50178506
- LED transformer 12V 4.16A Max. 50W dimmable* Art. no. 50349503
- LED strip 5m 12V 300 SMD 3528 LEDS Art. no. 50055002 | 50055003 | 50055004 | 50054820 | 50054821
 - I 50054822 I 50054802 I 50054803 I 50054804
- Connector:
 - LED strip connector 12V 3528 SMD IP20 Art. no. 50056501
 - LED strip connector strip to strip 12V 3528 SMD IP20* Art. no. 50056502



***OTHER OPTION**

LED TRANSFORMATOR DIMMABLE 1 LED transformator 12V 8,33A Max. 100W dimmable Art. no. 50349505

CONNECTOR

- 1 LED strip connector 12V 3528 SMD IP20 50cm Art. no. 50056504
- 2 LED strip connector strip to strip 12V 3528 SMD IP20 Art. no. 50056503
- 3 LED strip connector 90 degrees 3528 SMD






DIMMABLE WITH RF REMOTE 1 ZONE

Wireless dimming with RF remote or touch dimmer: Choose the DRF-T10 dimmer together with a non-dimmable 12V DC

transformer. The dimmer will be placed between the transformer and the stripe. This is a perfect combination when you want to dim and switch the LED stripe wireless with a 100% dimming range. It is also possible to control your stripe with a pulse switch or wall remote on the wall. Another possibility is to control the stripe with a touch dimmer, which is perfect for the kitchen!

PRODUCT COMBINATION

- LED transformator 12V 1,5A Max. 30W Art. no. 50089215
- Dimmer (one or both):
 - LED dimmer DRF-T10 12-24V 10A incl. RF remote control Art. no. 50208503
 - LED touch dimmer built-in 12-24V 1x3A Art. no. 50487920
- Dimmer extension optional (one or more):
 - Wireless wall-mounted controller RF dimmers 1 zone* Art. no. 50208687
- LED strip 5m 12V 300 SMD 3528 LEDS Art. no. 50055002 | 50055003 | 500545004 | 50054820 | 50054821 | 50054822 | 50054803 | 50054804
- Connector:
 - LED strip light connector 12V 3528 SMD IP20* Art. no. 50056501
 - LED strip light connector strip to strip 12V 3528 SMD IP20* Art. no. 50056502



***OTHER OPTION**

ED transformator 12V 3,3A ⁄Iax. 40W		1	Wireless wall-mounted con- 2	Dulas switch fluch mounted com		
rt. no. 50089220			troller RF dimmers 4 zones Art. no. 50208688	Pulse switch flush-mounted com- plete with cover frame Art. no. 50178530		
CONNECTOR						
ED strip connector 12V 8528 SMD IP20 50cm Art. no. 50056504	2	LED strip connector strip to strip 3 12V 3528 SMD IP20 Art. no. 50056503		LED strip connector 90 degrees 3528 SMD Art. no. 50056505		
3	ED strip connector 12V 528 SMD IP20 50cm	ED strip connector 12V 2 528 SMD IP20 50cm	ED strip connector 12V 2 LED s 528 SMD IP20 50cm 12V 3	ED strip connector 12V2LED strip connector strip to strip3528 SMD IP20 50cm12V 3528 SMD IP20		

/PHIX.COM





DIMMABLE WITH RF REMOTE 5 ZONES

Wireless dimming with RF remote: Choose the CV 5 ZD with


a non-dimmable 12V DC LED transformer. The dimmer will be

placed between the transformer and the stripe. This is a perfect combination when you want to dim and switch the LED stripe wireless with a 100% dimming range. You can even control multiple LED stripes with one remote! It is also possible to control the stripe from a fixed spot in the wall, with a pulse switch or wall remote.

IP68

PRODUCT COMBINATION

- LED transformator 12V 1,5A Max. 30W Art. no. 50089215
- LED dimmer CV 5ZD Art. no. 50208620
- Remote (one or both):
 - RF Remote control for LED Dimmers CV-5ZD CC-350-5ZD and CC-700-5ZD black* Art. no. 50208610
- LED strip 5m 12V 300 SMD 3528 LEDS Art. no. 50055002 | 50055003 | 500545004 | 50054820 | 50054821 | 50054822 | 50054802 | 50054803 | 50054804
- Connector:
 - LED strip connector 12V 3528 SMD IP20 Art. no. 50056501
 - LED strip connector strip to strip 12V 3528 SMD IP20* Art. no. 50056502



***OTHER OPTION**

LED	TRANSFORMATOR
1	LED transformator 12V 2,5A Max. 40W
	Art. no. 50089220

D	- 1		0	τ.	-
- N	- 1	VI			-
11			U		

1	Wireless wall-mounted controller RF dimmers 4 zones
	RF dimmers 4 zones
	Art. no. 50208688
2	Pulse switch flush-mounted com-

plete with cover frame Art. no. 50178530

N	NECTOR
	LED strip connector 12V 3528 SMD IP20 50cm Art. no. 50056504
	LED strip connector strip to strip 12V 3528 SMD IP20
	Art. no. 50056503
	LED strip connector 90 degrees 3528 SMD
	Art. no. 50056505

CO

1

2

3







ZIGBEE CONTROLLED


Combine the non-dimmable LED transformer 12V with our YPHIX

Zigbee LED dimmer 12-24V suitable for all LED stripes, so you

can easily control your LED stripes "Smart". Can be connected to your home network via an app with hub, but also with a remote or our wireless Zigbee wall remotes on a fixed spot.

PRODUCT COMBINATIE

- LED transformator 12V 2,5A Max. 30W* Art. no. 50089215
- YPHIX Zigbee LED dimmer 12-24V suitable for all LED strip lights Art. no. 50208512
- Remote (one or both):
 - Wireless wall control Zigbee 1 zone* Art. no. 50208689
- LED strip 5m 12V 300 SMD 3528 LEDS Art. no. 50055002 | 50055003 | 50054804 | 50054820 | 50054821 | 50054822 | 50054802 | 50054803 | 50054804
- Connector:
 - LED strip connector 12V 3528 SMD IP20 Art. no. 50056501
 - LED strip connector strip to strip 12V 3528 SMD IP20* Art. no. 50056502



***OTHER OPTION**

LED TRANSFORMATOR

1 LED transformator 12V 2,5A Max. 30W Art. no. 50089215

REMOTE

- 1 Wireless wall control Zigbee 2 zones Art. no. 50208690
- 2 Wireless wall control Zigbee 4 zones
 - Art. no. 50208691

CONNECTOR

- 1 LED strip connector 12V 3528 SMD IP20 50cm Art. no. 50056504
- 2 LED strip connector strip to strip 12V 3528 SMD IP20 Art. no. 50056503
- 3 LED strip connector 90 degrees 3528 SMD
 - Art. no. 50056505